

General Information

Port ID number UN Locator code Port facility name Port facility number Latitude Longitude	21132 SESOE (Sweden) Södertälje Hamn, Igelstahamnen 0332 N 59° 12' E 17° 38'	
Type of Port facility	Container Terminal <input type="checkbox"/> Passenger Terminal <input type="checkbox"/> Shipyard <input type="checkbox"/> Conventional Pier <input type="checkbox"/> RoRo-Terminal <input type="checkbox"/> Bulk-Terminal <input checked="" type="checkbox"/> (Igelsta heating plant)	
Address	Söderenergi AB Box 7074 SE-152 07 Södertälje, Sweden ----- Södertälje Hamn AB Box 2016 SE-151 02 Södertälje, Sweden	
Communication	<u>Söderenergi AB</u> Phone: +46 8 553 05 500 Fax: +46 8 553 05 690 e-mail: jan.hafdell@soderenergi.se ----- <u>Södertälje Hamn AB</u> Phone: +46 8 550 237 50 Fax: +46 8 550 319 49 e-mail: traffic@soeport.se VHF: Ch 16 and 14	
PF Security Officer	<u>Söderenergi AB</u> Name: Jan Hafdell Function: Port Facility Security Officer Phone: +46 8 553 05 507 Mobile phone: +46 76 803 35 07 Fax: +46 8 553 05 690 E-mail: jan.hafdell@soderenergi.se ----- <u>Södertälje Hamn AB</u> Name: Tommy Engström Function: Port Security Officer Phone: +46 8 550 237 45 Mobile phone: +46 768 85 31 91 Fax: +46 8 550 319 49 E-mail: tommy.engstrom@soeport.se	

Working scheme	Shift times: Ordinary 07-16 weekdays (24 h upon request) Breaks:	
Technical Details	Quay length / height: Berth 15-16 - Total length 145 m / height 220 cm Water depth: 10,4 m Type of berth: Conventional, bulk	
Security System	Assessment done by / date: Port Security Officer / 2004-02-27 Security plan available: Upon request to PSO	
Other Details		
Checklist completed	Vessel / date: Name / rank:	

Subject	Description	Evaluation	Class *)
Access control at gate	Number of gates, daytime / night: One gate Type of barrier: Gate and fence Watchmen, number of men per gate: No In gatehouse / outside: -- Checking procedure: --		
Fencing-in	Type of fence / height (cm): Fence with barbed wire		
Patrols	Frequency of patrols: No		
Illumination, Lightning	General: Yes Of quay: Yes At waterside: By ship		
Video supervision	Areas covered: Yes Monitoring and recording: Yes		
Alert system	Acoustic alarm: No Optical alarm: No		
Gangway watch	Watchmen: By ship, or on contract by request Area around gangway: No, or on contract by request		
Baggage check, screening	No		
Ships stores check, screening	Random check		
Port facility workers	At port facility: 2 – 4 dockers On board: 1 – 2 dockers depending type of work, ship etc Third party workers: Yes		
Cargo operations and control	Crane and loaders		
Estuary	Distance / max speed: 31 M / var Locks / bridges / canal: One railway bridge, height 40,5 m Tidal restrictions: No		
Surrounding and harbour basin	Ashore: Söderenergi / Södertälje Hamn At harbour basin: Swedish Maritime Administration VTS and Coast Guard Supervision of waters around: Swedish Maritime Administration VTS and Coast Guard		

*) Classification according to "Classification Table of Port Facilities" letters A to E